Journal of Biomedical Materials Research
Author Index—Volume 36

Adisaputro, I. A. Slivka, M. A., 469
Agrawal, C. M.
—; Pennick, A.; Wang, X.; Schenck, R. C.: Porous-coated titanium implant impregnated with a biodegradable protein delivery system, 516
Allen, W. C. See Lowry, K. J., 536
Amemiya, A. See Hanawa, T., 131
Anderson, J. M. See Mathur, A. B., 246
Anglen, J. O. See Lowry, K. J., 536
Arimoto, N. See Ban, S., 9
Asaoka, K. See Hanawa, T., 131
—; See Ishikawa, K., 393

Baldan, N. See Davies, J. E., 429
Ban, S.
—; Maruno, S.; Arimoto, N.; Harada, A.; Hasegawa, J.: Effect of electrochemically deposited apatite coating on bonding of bone to the HA-G-Ti composite and titanium, 9
Barbosa, M. A. See Leitão, E., 85
Bauer, T. W. See Hirakawa, K., 529
Bear, L. See Lowry, K. J., 536
Beck, L. S. See Ongpipattanakul, B., 295
Bellanda, M.
—; Cassinelli, C.; Morra, M.: Reduced plaque accumulation on hydrocarbon thin film deposited on restorative acrylic polymers, 216
Berman, S. S. See Salzmann, D. L., 498
Beyer, D.
—; Knoll, W.; Ringsdorf, H.; Wang, J.-H.; Timmons, R. B.; Sluka, P.: Reduced protein adsorption on plastics via direct plasma deposition of triethylene glycol monoallyl ether, 181
Bonnaure-Mallet, M. See Pellen-Mussi, P., 331
Bragdon, C. R. See Ramamurti, B. S., 274
Brand, R. See Sakkers, R. J. B., 265
Braye, F.
—; Weber, G.; Irigaray, J. L.; Frayssinet, P.: Osseointegration in cortical sheep bone of calcium phosphate implants evaluated by PIXE method and histology, 315
Brennan, A. B. See West, J. K., 209
Briat, B. See Legeais, J.-M., 49
Brink, M.
—; The influence of alkali and alkaline earths on the working range for bioactive glasses, 109
Brown, P. W. See TenHuisen, K. S., 233
—; See TenHuisen, K. S., 306
Brunski, J. B. See Edwards, J. T., 454

Calaluce, R. See Lowry, K. J., 536
Cannas, M. See Wassall, M. A., 325
Cao, Y. See Tong, W., 242
Cassinelli, C. See Bellanda, M., 216
Cavedagna, D. See Cenni, E., 289
Cenni, E.
—; Granchi, D.; Verri, E.; Cavedagna, D.; Gamberini, S.; Falsone, G.; Pizzoferrato, A.: CD62, thromboxane B2, and beta-thromboglobulin: A comparison between different markers of platelet activation after contact with biomaterials, 289
Chang, C.-S. See Lin, T.-C., 91
Chang, E. See Yang, C. Y., 39
Chang, G. L. See Yang, C. Y., 39
Charulatha, V.
—; Rajaram, A.: Crosslinking density and resorption of dimethyl suberimidate-treated collagen, 478
Chaudhury, M. K. See Kennan, J. J., 487
Chen, J. See Tong, W., 242
Chen, T.
—; Kusy, R. P.: Effect of methacrylic acid:methyl methacrylate monomer ratios on polymerization rates and properties of polymethyl methacrylates, 190
Chu, C. C. See Slivka, M. A., 469
Clark, A. E. See West, J. K., 209
Clemens, J. A. M.
—; Klein, C. P. A. T.; Sakkers, R. J. B.; Dhert, W. J. A.; de Groot, K.; Rozing, P. M.: Healing of gaps around calcium phosphate-coated implants in trabecular bone of the goat, 55
Collier, T. O. See Mathur, A. B., 246
Colombo, P. See Mallapragada, S. K., 125
Cooper, S. L. See Dickinson, R. B., 152
Corvelli, A. A. See Lin, T. W., 137
Crane, G. M. See Ishaug, S.L., 17
—; See Ishaug-Riley, S.L., 1
Curtis, R. See Mainil-Varlet, P., 360

Daculsi, G. See Guicheux, J., 258
Dalmeyer, R. A. J. See Sakkers, R. J. B., 265
Davies, J. E.
—; Baldan, N.: Scanning electron microscopy of the bone–bioactive implant interface, 429
de Groot, K. See Clemens, J. A. M., 55
—; See Leitão, E., 85
Degrange, M. See Lampin, M., 99
DeGuzman, L. See Ongpipattanakul, B., 295
den Dunnen, W. F. A.
—; Robinson, P. H.; van Wessel, R.; Pennings, A. J.; van Leeuwen, M. B. M.; Schakenraad, J. M.: Long-term evaluation of degradation and foreign-body reaction of subcutaneously implanted poly(DL-lactide-ϵ-caprolactone), 337
Denyer, S. P. See Wassall, M. A., 325
Dhert, W. J. A. See Clemens, J. A. M., 55
Dickinson, R. B.
—; Nagel, J. A.; Proctor, R. A.; Cooper, S. L.: Quantitative comparison of shear-dependent

Journal of Biomedical Materials Research
Author Index—Volume 36

Adisaputro, I. A. Slivka, M. A., 469
Agrawal, C. M.
—; Pennick, A.; Wang, X.; Schenck, R. C.: Porous-coated titanium implant impregnated with a biodegradable protein delivery system, 516
Allen, W. C. See Lowry, K. J., 536
Amemiya, A. See Hanawa, T., 131
Anderson, J. M. See Mathur, A. B., 246
Anglen, J. O. See Lowry, K. J., 536
Arimoto, N. See Ban, S., 9
Asaoka, K. See Hanawa, T., 131
—; See Ishikawa, K., 393

Baldan, N. See Davies, J. E., 429
Ban, S.
—; Maruno, S.; Arimoto, N.; Harada, A.; Hasegawa, J.: Effect of electrochemically deposited apatite coating on bonding of bone to the HA-G-Ti composite and titanium, 9
Barbosa, M. A. See Leitão, E., 85
Bauer, T. W. See Hirakawa, K., 529
Bear, L. See Lowry, K. J., 536
Beck, L. S. See Ongpipattanakul, B., 295
Bellanda, M.
—; Cassinelli, C.; Morra, M.: Reduced plaque accumulation on hydrocarbon thin film deposited on restorative acrylic polymers, 216
Berman, S. S. See Salzmann, D. L., 498
Beyer, D.
—; Knoll, W.; Ringsdorf, H.; Wang, J.-H.; Timmons, R. B.; Sluka, P.: Reduced protein adsorption on plastics via direct plasma deposition of triethylene glycol monoallyl ether, 181
Bonnaure-Mallet, M. See Pellen-Mussi, P., 331
Bragdon, C. R. See Ramamurti, B. S., 274
Brand, R. See Sakkers, R. J. B., 265
Braye, F.
—; Weber, G.; Irigaray, J. L.; Frayssinet, P.: Osseointegration in cortical sheep bone of calcium phosphate implants evaluated by PIXE method and histology, 315
Brennan, A. B. See West, J. K., 209
Briat, B. See Legeais, J.-M., 49
Brink, M.
—; The influence of alkali and alkaline earths on the working range for bioactive glasses, 109
Brown, P. W. See TenHuisen, K. S., 233
—; See TenHuisen, K. S., 306
Brunski, J. B. See Edwards, J. T., 454

Calaluce, R. See Lowry, K. J., 536
Cannas, M. See Wassall, M. A., 325
Cao, Y. See Tong, W., 242
Cassinelli, C. See Bellanda, M., 216
Cavedagna, D. See Cenni, E., 289
Cenni, E.
—; Granchi, D.; Verri, E.; Cavedagna, D.; Gamberini, S.; Falsone, G.; Pizzoferrato, A.: CD62, thromboxane B2, and beta-thromboglobulin: A comparison between different markers of platelet activation after contact with biomaterials, 289
Chang, C.-S. See Lin, T.-C., 91
Chang, E. See Yang, C. Y., 39
Chang, G. L. See Yang, C. Y., 39
Charulatha, V.
—; Rajaram, A.: Crosslinking density and resorption of dimethyl suberimidate-treated collagen, 478
Chaudhury, M. K. See Kennan, J. J., 487
Chen, J. See Tong, W., 242
Chen, T.
—; Kusy, R. P.: Effect of methacrylic acid:methyl methacrylate monomer ratios on polymerization rates and properties of polymethyl methacrylates, 190
Chu, C. C. See Slivka, M. A., 469
Clark, A. E. See West, J. K., 209
Clemens, J. A. M.
—; Klein, C. P. A. T.; Sakkers, R. J. B.; Dhert, W. J. A.; de Groot, K.; Rozing, P. M.: Healing of gaps around calcium phosphate-coated implants in trabecular bone of the goat, 55
Collier, T. O. See Mathur, A. B., 246
Colombo, P. See Mallapragada, S. K., 125
Cooper, S. L. See Dickinson, R. B., 152
Corvelli, A. A. See Lin, T. W., 137
Crane, G. M. See Ishaug, S.L., 17
—; See Ishaug-Riley, S.L., 1
Curtis, R. See Mainil-Varlet, P., 360

Daculsi, G. See Guicheux, J., 258
Dalmeyer, R. A. J. See Sakkers, R. J. B., 265
Davies, J. E.
—; Baldan, N.: Scanning electron microscopy of the bone–bioactive implant interface, 429
de Groot, K. See Clemens, J. A. M., 55
—; See Leitão, E., 85
Degrange, M. See Lampin, M., 99
DeGuzman, L. See Ongpipattanakul, B., 295
den Dunnen, W. F. A.
—; Robinson, P. H.; van Wessel, R.; Pennings, A. J.; van Leeuwen, M. B. M.; Schakenraad, J. M.: Long-term evaluation of degradation and foreign-body reaction of subcutaneously implanted poly(DL-lactide-ϵ-caprolactone), 337
Denyer, S. P. See Wassall, M. A., 325
Dhert, W. J. A. See Clemens, J. A. M., 55
Dickinson, R. B.
—; Nagel, J. A.; Proctor, R. A.; Cooper, S. L.: Quantitative comparison of shear-dependent

Staphylococcus aureus adhesion to three polyurethane ionomer analogs with distinct surface properties, 152
Drubaix, I. See Legeais, J.-M., 49
Ducheyne, P. See El-Ghannam, A., 167

Edwards, J. T.
—; Brunski, J. B.; Higuchi, H. W.: Mechanical and morphologic investigation of the tensile strength of a bone–hydroxyapatite interface, 454
El-Ghannam, A.
—; Ducheyne, P.; Shapiro, I. M.: Porous bioactive glass and hydroxyapatite ceramic affect bone cell function *in vitro* along different time lines, 167
Ertürk, S. See Hemmerlé, J., 418
Evans, M. L. See Lowry, K. J., 536

Faivre, A. See Guicheux, J., 258
Falsone, G. See Cenni, E., 289
Fang, D. N. See Wataha, J. C., 145
Feng, J. See Tong, W., 242
Fravalo, P. See Pellen-Mussi, P., 331
Frayssinet, P. See Braye, F., 315
Frondoza, C. G. See Lin, T. W., 137
Fujimoto, K.
—; Yamamura, K.; Osada, T.; Hayashi, T.; Nabeshima, T.; Matsushita, M.; Nishikimi, N.; Sakurai, T.; Nimura, Y.: Subcutaneous tissue distribution of vancomycin from a fibrin glue/Dacron graft carrier, 564

Gamberini, S. See Cenni, E., 289
Gautier, H. See Guicheux, J., 258
Gilbert, J. L. See Wright, D. D., 441
Glueck, J. See Takami, Y., 381
Gogolewski, S. See Mainil-Varlet, P., 360
Granchi, D. See Cenni, E., 289
Grzybowski, J.
—; Kołodziej, W.; Trafny, E. A.; Strużyna, J.: A new anti-infective collagen dressing containing antibiotics, 163
Guicheux, J.
—; Heymann, D.; Trécant, M.; Gautier, H.; Faivre, A.; Daculsi, G.: Association of human growth hormone and calcium phosphate by dynamic compaction: *In vitro* biocompatibility and bioactivity, 258
Guidoin, R. See Tanzi, M. C., 550
Guigand, M. See Pellen-Mussi, P., 331
Gurlek, A. See Ishaug-Riley, S. L., 1

Hamson, K. R. See Lowry, K. J., 536
Hanawa, T.
—; Kamiura, Y.; Yamamoto, S.; Kohgo, T.; Amemiya, A.; Ukai, H.; Murakami, K.; Asaoka, K.: Early bone formation around calcium-ion-implanted titanium inserted into rat tibia, 131
Hanks, C. T. See Wataha, J. C., 145
Harada, A. See Ban, S., 9
Harris, W. H. See Ramamurti, B. S., 274
Hasegawa, J. See Ban, S., 9
Hashimoto, Y. See Hirakawa, K., 529
Hayakawa, T. See Hulshoff, J. E. G., 75
Hayashi, T. See Fujimoto, K., 564
Hemmerlé, J.
—; Önçag, A.; Ertürk, S.: Ultrastructural features of the bone response to a plasma-sprayed hydroxyapatite coating in sheep, 418
Hench, L. L. See West, J. K., 209
Heymann, D. See Guicheux, J., 258
Higuchi, H. W. See Edwards, J. T., 454
Hiltner, A. See Mathur, A. B., 246
Hirakawa, K.
—; Bauer, T. W.; Hashimoto, Y.; Stulberg, B. N.; Wilde, A. H.; Secic, M.: Effect of femoral head diameter on tissue concentration of wear debris, 529
Hirt, T. D. See Saad, B., 65
Hulshoff, J. E. G.
—; Hayakawa, T.; van Dijk, K.; Leijdekkers-Govers, A. F. M.; van der Waerden, J. P. C. M.; Jansen, J. A.: Mechanical and histologic evaluation of Ca-P plasma-spray and magnetron sputter-coated implants in trabecular bone of the goat, 75
Hungerford, D. S. See Lin, T. W., 137
Hunt, J. A.
—; Meijs, G.; Williams, D. F.: Hydrophilicity of polymers and soft tissue responses: A quantitative analysis, 542

Ikazaki, F. See Ito, A., 522
Irigaray, J. L. See Braye, F., 315
Isalberti, C. See Wassall, M. A., 325
Ishaug, S. L.
—; Crane, G. M.; Miller, M. J.; Yasko, A. W.; Yaszemski, M. J.; Mikos, A. G.: Bone formation by three-dimensional stromal osteoblast culture in biodegradable polymer scaffolds, 17
Ishaug-Riley, S. L.
—; Crane, G. M.; Gurlek, A.; Miller, M. J.; Yasko, A. W.; Yaszemski, M. J.; Mikos, A. G.: Ectopic bone formation by marrow stromal osteoblast transplantation using poly(DL-lactic-*co*-glycolic acid) foams implanted into the rat mesentery (Student Research Award in the Doctoral Degree Candidate Category, Society for Biomaterials 23rd Annual Meeting, New Orleans, LA, April 30–May 4, 1997), 1
Ishihara, K. See Iwasaki, Y., 508
Ishikawa, K.
—; Miyamoto, Y.; Takechi, M.; Toh, T.; Kon, M.; Nagayama, M.; Asaoka, K.: Non-decay type fast-setting calcium phosphate cement: Hydroxyapatite putty containing an increased amount of sodium alginate, 393
Ito, A.
—; Maekawa, K.; Tsutsumi, S.; Ikazaki, F.; Tateishi, T.: Solubility product of OH-carbonated hydroxyapatite, 522
Iwasaki, Y.
—; Mikami, A.; Kurita, K.; Yui, N.; Ishihara, K.; Nakabayashi, N.: Reduction of surface-induced platelet activation on phospholipid polymer, 508

Jansen, J. A. See Hulshoff, J. E. G., 75
Jasty, M. See Ramamurti, B. S., 274

Kamiura, Y. See Hanawa, T., 131
Kao, W. J. See Mathur, A. B., 246
Kennan, J. J.
—; Peters, Y. A.; Swarthout, D. E.; Owen, M. J.; Namkanisorn, A.; Chaudhury, M. K.: Effect of saline exposure on the surface and bulk properties of medical grade silicone elastomers, 487
Kim, S. S. See Lee, J. H., 200
Kim, W. G. See Lee, J. H., 200
Klein, C. P. A. T. See Clemens, J. A. M., 55
Klinger, A.
—; Steinberg, D.; Kohavi, D.; Sela, M. N.: Mechanism of adsorption of human albumin to titanium *in vitro*, 387

Knoll, W. See Beyer, D., 181
Kołodziej, W. See Grzybowski, J., 163
Kohavi, D. See Klinger, A., 387
Kohgo, T. See Hanawa, T., 131
Kon, M. See Ishikawa, K., 393
Kurita, K. See Iwasaki, Y., 508
Kusy, R. P. See Chen, T., 190

Labow, R. S. See Santerre, J. P., 223
—; See Wang, G. B., 407
LaIuppa, J. A.
—; McAdams, T. A.; Papoutsakis, E. T.; Miller, W. M.: Culture materials affect *ex vivo* expansion of hematopoietic progenitor cells, 347
Lampin, M.
—; Warocquier-Clérout, R.; Legris, C.; Degrange, M.; Sigot-Luizard, M. F.: Correlation between substratum roughness and wettability, cell adhesion, and cell migration, 99
Laroche, G. See Tanzi, M. C., 550
Latkany, R.
—; Tsuk, A.; Sheu, M.-S.; Loh, I.-H.; Trinkaus-Randall, V.: Plasma surface modification of artificial corneas for optimal epithelialization, 29
Lautenschlager, E. P. See Wright, D. D., 441
Lee, H. B. See Lee, J. H., 200
Lee, J. H.
—; Kim, W. G.; Kim, S. S.; Lee, J. H.; Lee, H. B.: Development and characterization of an alginate-impregnated polyester vascular graft, 200
Lee, T. M. See Yang, C. Y., 39
Lee, W. P. See Ongpipattanakul, B., 295
Legeais, J.-M.
—; Drubaix, I.; Briat, B.; Savoldelli, M.; Ménasche M.; Robert, L.; Renard, G.; Pouliquen, Y.: Influence of ePTFE polymer implant permeability on the rate and density of corneal extracellular matrix synthesis, 49
Legris, C. See Lampin, M., 99
Leijdekkers-Govers, A. F. M. See Hulshoff, J. E. G., 75
Leitão, E.
—; Barbosa, M. A.; de Groot, K.: Influence of substrate material and surface finishing on the morphology of the calcium-phosphate coating, 85
Lin, T.-C.
—; Su, C.-Y.; Chang, C.-S.: Stereomorphologic observation of bone tissue response to hydroxyapatite using SEM with the EDTA-KOH method, 91
Lin, T.W.
—; Corvelli, A. A.; Frondoza, C. G.; Roberts, J. C.; Hungerford, D. S.: Glass peek composite promotes proliferation and osteocalcin production of human osteoblastic cells (Student Research Award in the Undergraduate, Master Candidate, or Health Science Candidate Category, Society for Biomaterials 23rd Annual Meeting, New Orleans, LA, April 30–May 4, 1997), 137
Loh, I.-H. See Latkany, R., 29
Lowenstein, J. D. See Ramamurti, B. S., 274
Lowry, K. J.
—; Hamson, K. R.; Bear, L.; Peng, Y. B.; Calaluce, R.; Evans, M. L.; Anglen, J. O.; Allen, W. C.: Polycaprolactone/glass bioabsorbable implant in a rabbit humerus fracture model, 536
Lu, L. See Tong, W., 242

Maekawa, K. See Ito, A., 522
Mainil-Varlet, P.
—; Curtis, R.; Gogolewski, S.: Effect of *in vivo* and *in vitro* degradation on molecular and mechanical properties of various low-molecular-weight polylactides, 360
Makinouchi, K. See Takami, Y., 381
Mallapragada, S. K.
—; Peppas, N. A.; Colombo, P.: Crystal dissolution-controlled release systems. II. Metronidazole release from semicrystalline poly(vinyl alcohol) systems, 125
Mantovani, D. See Tanzi, M. C., 550
Maruno, S. See Ban, S., 9
Mathur, A. B.
—; Collier, T. O.; Kao, W. J.; Wiggins, M.; Schubert, M. A.; Hiltner, A.; Anderson, J. M.: *In vivo* biocompatibility and biostability of modified polyurethanes, 246
Matsushita, M. See Fujimoto, K., 564
McAdams, T. A. See LaIuppa, J. A., 357
Meijs, G. See Hunt, J. A., 542
Ménasche M. See Legeais, J.-M., 49
Mikami, A. See Iwasaki, Y., 508
Mikos, A. G. See Ishaug, S. L., 17
—; See Ishaug-Riley, S. L., 1
Miller, M. J. See Ishaug, S. L., 17
—; See Ishaug-Riley, S. L., 1
Miller, W. M. See LaIuppa, J. A., 347
Miyamoto, Y. See Ishikawa, K., 393
Morra, M. See Bellanda, M., 216
Murakami, K. See Hanawa, T., 131

Nabeshima, T. See Fujimoto, K., 564
Nagayama, M. See Ishikawa, K., 393
Nagel, J. A. See Dickinson, R. B., 152
Nakabayashi, N. See Iwasaki, Y., 508
Nakazawa, T. See Takami, Y., 381
Namkanisorn, A. See Kennan, J. J., 487
Neuenschwander, P. See Saad, B., 65
Nguyen, T. See Ongpipattanakul, B., 295
Nimura, Y. See Fujimoto, K., 564
Nishikimi, N. See Fujimoto, K., 564
Norgren, L. See Swartbol, P., 400
Nosé, Y. See Takami, Y., 381
Nunes, C. R.
—; Simske, S. J.; Sachdeva, R.; Wolford, L. M.: Long-term ingrowth and apposition of porous hydroxylapatite implants, 560

Önçag, A. See Hemmerlé, J., 418
Ongpipattanakul, B.
—; Nguyen, T.; Zioncheck, T. F.; Wong, R.; Osaka, G.; DeGuzman, L.; Lee, W. P.; Beck, L. S.: Development of tricalcium phosphate/amylopectin paste combined with recombinant human transforming growth factor beta 1 as a bone defect filler, 295
Orr, T. E. See Ramamurti, B. S., 274
Osada, T. See Fujimoto, K., 564
Osaka, G. See Ongpipattanakul, B., 295
Owen, M. J. See Kennan, J. J., 487

Pärsson, H. See Swartbol, P., 400
Papoutsakis, E. T. See LaIuppa, J. A., 347
Pellen-Mussi, P.
—; Fravalo, P.; Guigand, M.; Bonnaure-Mallet, M.: Evaluation of cellular proliferation on collagenous membranes, 331
Peng, Y. B. See Lowry, K. J., 536
Pennick, A. See Agrawal, C. M., 516
Pennings, A. J. See den Dunnen, W. F. A., 337
Peppas, N. A. See Mallapragada, S. K., 125
Peters, Y. A. See Kennan, J. J., 487
Petrini, P. See Tanzi, M. C., 550
Pizzoferrato, A. See Cenni, E., 289
Prager, M. D.
—; Quintana, R. P.: Radiochemical studies on contact lens soilation. I.

Lens uptake of ^{14}C-lysozyme from simple and complex artificial tear solutions, 119
Proctor, R. A. See Dickinson, R. B., 152

Quintana, R. P. See Prager, M. D., 119

Rajaram, A. See Charulatha, V., 478
Ramamurti, B. S.
—; Orr, T. E.; Bragdon, C. R.; Lowenstein, J. D.; Jasty, M.; Harris, W. H.: Factors influencing stability at the interface between a porous surface and cancellous bone: A finite element analysis of a canine *in vivo* micromotion experiment, 274
Renard, G. See Legeais, J.-M., 49
Ringsdorf, H. See Beyer, D., 181
Roach, D. J. See Salzmann, D. L., 498
Robert, L. See Legeais, J.-M., 49
Roberts, J. C. See Lin, T. W., 137
Robinson, P. H. See den Dunnen, W. F. A., 337
Rozing, P. M. See Clemens, J. A. M., 55
Rozing, P. M. See Sakkers, R. J. B., 265

Saad, B.
—; Hirt, T. D.; Welti, M.; Uhlschmid, G. K.; Neuenschwander, P.; Suter, U. W.: Development of degradable polyesterurethanes for medical applications: *In vitro* and *in vivo* evaluations, 65
Sachdeva, R. See Nunes, C. R., 560
Sakkers, R. J. B. See Clemens, J. A. M., 55
—; Dalmeyer, R. A. J.; Brand, R.; Rozing, P. M.; van Blitterswijk, C. A.: Assessment of bioactivity for orthopedic coatings in a gap-healing model, 265
Sakurai, T. See Fujimoto, K., 564
Salzmann, D. L.
—; Yee, D. C.; Roach, D. J.; Berman, S. S.; Williams, S. K.: Effects of balloon dilatation on ePTFE structural characteristics, 498
Santerre, J. P.
—; Labow, R. S.: The effect of hard segment size on the hydrolytic stability of polyether-urea-urethanes when exposed to cholesterol esterase, 223
—; See Wang, G. B., 407
Santin, M. See Wassall, M. A., 325
Savoldelli, M. See Legeais, J.-M., 49
Schakenraad, J. M. See den Dunnen, W. F. A., 337
Schenck, R. C. See Agrawal, C. M., 516
Schmalz, G. See Schweikl, H., 284
Schubert, M. A. See Mathur, A. B., 246
Schweikl, H.
—; Schmalz, G.: Glutaraldehyde-containing dentin bonding agents are mutagens in mammalian cells *in vitro*, 284
Secic, M. See Hirakawa, K., 529
Sela, M. N. See Klinger, A., 387
Shapiro, I. M. See El-Ghannam, A., 167
Sheu, M.-S. See Latkany, R., 29
Sigot-Luizard, M. F. See Lampin, M., 99
Simske, S. J. See Nunes, C. R., 560
Slivka, M. A.
—; Chu, C. C.; Adisaputro, I. A.: Fiber–matrix interface studies on bioabsorbable composite materials for internal fixation of bone fractures. I. Raw material evaluation and measurement of fiber–matrix interfacial adhesion, 469
Sluka, P. See Beyer, D., 181
Steinberg, D. See Klinger, A., 387
Strużyna, J. See Grzybowski, J., 163
Stulberg, B. N. See Hirakawa, K., 529
Su, C.-Y. See Lin, T.-C., 91
Sun, Z. L. See Wataha, J. C., 145
Suter, U. W. See Saad, B., 65
Swartbol, P.
—; Truedsson, L.; Pärsson, H.; Norgren, L.: Tumor necrosis factor-α and interleukin-6 release from white blood cells induced by different graft materials *in vitro* are affected by pentoxifylline and iloprost, 400
Swarthout, D. E. See Kennan, J. J., 487

Takami, Y.
—; Nakazawa, T.; Makinouchi, K.; Glueck, J.; Nosé, Y.: Biocompatibility of alumina ceramic and polyethylene as materials for pivot bearings of a centrifugal blood pump, 381
Takechi, M. See Ishikawa, K., 393
Tanzi, M. C.
—; Mantovani, D.; Petrini, P.; Guidoin, R.; Laroche, G.: Chemical stability of polyether urethanes versus polycarbonate urethanes, 550
Tateishi, T. See Ito, A., 522
TenHuisen, K. S.
—; Brown, P. W.: Variations in solution chemistry during calcium-deficient and stoichiometric hydroxyapatite formation from $CaHPO_4 \cdot 2H_2O$ and $Ca_4(PO_4)_2O$, 233
—; Brown, P. W.: Effects of magnesium on the formation of calcium-deficient hydroxyapatite from $CaHPO_4 \cdot 2H_2O$ and $Ca_4(PO_4)_2O$, 306
Timmons, R. B. See Beyer, D., 181
Toh, T. See Ishikawa, K., 393
Tong, W.
—; Chen, J.; Cao, Y.; Lu, L.; Feng, J.; Zhang, X.: Effect of water vapor pressure and temperature on the amorphous-to-crystalline HA conversion during heat treatment of HA coatings, 242
Trafny, E. A. See Grzybowski, J., 163
Trécant, M. See Guicheux, J., 258
Trinkaus-Randall, V. See Latkany, R., 29
Truedsson, L. See Swartbol, P., 400
Tsuk, A. See Latkany, R., 29
Tsutsumi, S. See Ito, A., 522

Uhlschmid, G. K. See Saad, B., 65
Ukai, H. See Hanawa, T., 131

van Blitterswijk, C. A. See Sakkers, R. J. B., 265
van der Waerden, J. P. C. M. See Hulshoff, J. E. G., 75
van Dijk, K. See Hulshoff, J. E. G., 75
van Leeuwen, M. B. M. See den Dunnen, W. F. A., 337
van Wessel, R. See den Dunnen, W. F. A., 337
Verri, E. See Cenni, E., 289

Wang, B. C. See Yang, C. Y., 39
Wang, G. B.
—; Labow, R. S.; Santerre, J. P.: Biodegradation of a poly(ester)urea-urethane by cholesterol esterase: Isolation and identification of principal biodegradation products, 407
Wang, J.-H. See Beyer, D., 181
Wang, X. See Agrawal, C. M., 516
Warocquier-Clérout, R. See Lampin, M., 99
Wassall, M. A.
—; Santin, M.; Isalberti, C.; Cannas, M.; Denyer, S. P.: Adhesion of bacteria to stainless steel and silver-coated orthopedic external fixation pins, 325

Wataha, J. C.
—; Sun, Z. L.; Hanks, C. T.; Fang, D. N.: Effect of Ni ions on expression of intercellular adhesion molecule 1 by endothelial cells, 145
Watson, J. T.
—: NIH biomaterials and medical implant science coordinating committee, 283
Weber, G. See Braye, F., 315
Welti, M. See Saad, B., 65
West, J. K.
—; Brennan, A. B.; Clark, A. E.; Hench, L. L.: Molecular orbital models of ring expansion mechanisms in the silica–carbon monoxide system, 209
Wiggins, M. See Mathur, A. B., 246
Wilde, A. H. See Hirakawa, K., 529
Williams, D. F. See Hunt, J. A., 542
Williams, S. K. See Salzmann, D. L., 498
Wolford, L. M. See Nunes, C. R., 560
Wong, R. See Ongpipattanakul, B., 295
Wright, D. D.
—; Lautenschlager, E. P.; Gilbert, J. L.: Bending and fracture toughness of woven self-reinforced composite poly(methyl methacrylate), 441

Yamamoto, S. See Hanawa, T., 131
Yamamura, K. See Fujimoto, K., 564
Yang, C. Y.
—; Wang, B. C.; Lee, T. M.; Chang, E.; Chang, G. L.: Intramedullary implant of plasma-sprayed hydroxyapatite coating: An interface study, 39
Yasko, A. W. See Ishaug, S. L., 17
—; See Ishaug-Riley, S. L., 1
Yaszemski, M. J. See Ishaug, S. L., 17
—; See Ishaug-Riley, S. L., 1
Yee, D. C. See Salzmann, D. L., 498
Yui, N. See Iwasaki, Y., 508

Zhang, X. See Tong, W., 242
Zioncheck, T. F. See Ongpipattanakul, B., 295

Journal of Biomedical Materials Research
Subject Index—Volume 36

Adhesion, 152, 469
Albumin, 387
Alginate impregnation, 200
α-Granule membrane glycoprotein, 508
Alkali, 109
Alkaline earths, 109
Alumina ceramic, 381
Amorphous calcium phosphate, 306
Amorphous-to-crystalline HA conversion, 242
Antibacterial dressing, 163
Apatite coatings, 55
Apatite formation, 233
Artificial tear solutions, 119
Austin Method (AM1) semi-empirical molecular orbital calculations, 209
AW glass ceramic, 429

Bacterial adhesion, 152, 325
Balloon angioplasty, 498
Bioabsorbable, 469, 536
Bioactive glass, 109, 429
Biocompatibility, 137, 246, 347, 381, 478, 560
Biodegradable poly(DL-lactic-*co*-glycolic acid) foams, 17
Biodegradation, 407
Biological integrity, 258
Biomaterial roughness, 99
Biomaterial, 289, 498
Biostability, 246
Biphasic calcium phosphate, 258
Blood compatibility, 508
Blood-leak prevention, 200
Bonding, 9
Bone cement, 441
Bone defect filler, 295
Bone formation, 17, 55, 131
Bone ingrowth, 274
Bone, 265, 315, 418, 429, 560
Bone–hydroxyapatite interface, 454

Calcium, 387
Calcium ion implantation, 131
Calcium phosphate cement, 306, 393
Calcium phosphate ceramic, 315
Calcium-deficient hydroxyapatite, 233
Calcium-phosphate coating, 85
Cancellous bone, 39
Ca-P plasma-spray implants, 75
Carbon dioxide content, 522
Carbonated hydroxyapatite, 522
$CD34^+$ cells, 347
Cell adhesion, 99
Cell culture, 137
Cement line, 429
Centrifugal blood pump, 381
Chemical stability, 550
Coatings, 55, 75, 152
Collagen membrane, 163
Collagen sponge, 163
Collagen, 478
Composite, 9, 137, 441, 469
Constant carbon dioxide partial pressure, 522
Contact angle, 216
Contact lens soilation, 119
Controlled drug delivery, 125
Corneal extracellular matrix ingrowth, 49
Corneal keratoprosthetic devices, 49
Crosslinking density, 478
Crystallinity, 125
Culture materials, 347
Cytokines, 400
Cytoplasmic calcium concentration, 508
Cytotoxicity assay, 331

Dacron graft, 564
Degradation, 337, 516
Dental polymers, 216
Dentin bonding agents, 284
Dimethyl suberimidate, 478
Dissolution, 125
Drug delivery system, 258
DSC, 190, 550
Dynamic compaction, 258

Ectopic bone formation, 1
EDTA-KOH method, 91
Electrochemical deposition, 9
Endothelial cells, 145
Endovascular grafts, 498
Enzyme, 407
Epithelial cells, 29
Expanded polytetrafluorethylene implants (ePTFE), 49, 498

Femoral head size, 529
Fibrin glue, 564
Fibroblasts, 65
Film chemistry control, 181
Flexure, 441
Flow cytometry, 331
Fluorescence microscope, 131
Foreign-body reaction, 337
Fracture fixation, 536
Fracture toughness, 441
Friction coefficient, 274
FTIR, 550

Gamma irradiation, 441
Gap, 265
Glutaraldehyde, 284, 478
GMP-140, 289
GPC, 550
Graft infection, 564
Graft materials, 400
Group IV, 119
Growth hormone, 258
Guided tissue regeneration, 331

Hard segment domains, 223
Heat treatment, 242
Hematopoietic cultures, 347
High-performance liquid chromatography, 407
Histomorphometric implant saturation, 560
HPRT, 284
Hydrogel lenses, 119
Hydrogels, 125
Hydrogen-ion concentration, 387
Hydrolytic enzymes, 223
Hydrolytic stability in saline, 487
Hydrophilicity, 542
Hydroxyapatite (HA), 91, 265, 304, 393, 418, 429, 560
Hydroxyapatite (HA) coatings, 242
Hydroxyapatite-coated implants, 418

Hydroxylapatite (HA) ceramics, 55, 560
Hystomorphometry, 315

Iloprost, 400
Image analysis, 542
Implant loosening, 529
Implant motion, 274
Implant pathology, 529
Implant, 560
In vitro, 17, 65, 145, 167, 325
In vivo, 65, 246
In vivo and *In vitro* degradation, 360
In vivo bone formation, 1
In vivo efficacy, 295
Inflammation, 542
Inflammatory cells, 145
Inhibition, 305
Integrin, 29
Intercellular adhesion molecule 145
Interface, 418, 429, 469
Interfacial strength, 454
Internal fixation, 536
Intramedullary implant model, 39
Isoelectric point, 522

Macrophages, 65, 542
Magnesium, 306
Mass spectrometry, 407
MCP-1, 542
Mechanical properties, 360, 469
Methacrylic acid (MAA), 190
Methyl methacrylate (MMA), 190
Metronidazole, 125
Microporous polymers, 49
Microscopy, 331
Modified segmented polyurethanes, 246
Molecular weight, 360
Mutagenicity, 284

Ni ions, 145
Non-decay type, 393
Nucleation and growth, 306

Organotypic culture, 99
Osseointegration, 317
Osteoblasts, 137

PEEK, 137
Pentoxifylline, 400
PEO (polyethylene oxide), 181
Periodontium, 331
Pharmacokinetics, 295
Phospholipid polymer, 508
Physical-chemical bonding, 454
Pivot bearing, 381
PIXE, 315
PLA–PGA, 516
Plaque, 216
Plasma deposition, 181, 216
Plasma treatment, 29
Plasma-sprayed hydroxyapatite coatings (HACs), 39
Platelet activation, 508
Platelet adhesion, 508
Platelet, 289
Poly(DL-lactic-*co*-glycolic acid) foams, 1
Poly(DL-lactide-ϵ-caprolactone) ($PLA_{85}CL_{50}$) bars, 337
Poly(vinyl alcohol), 125
Polyactive, 265
Polycaprolactone, 536
Polyester, 200
Polyesterurethanes, 65
Polyether-based polyurea-urethanes, 223
Polyethylene, 381
Polylactides, 360
Polymer, 536
Polymerization rates, 190
Polymethyl methacrylate, 190
Polyurethane, 407, 542, 550
Porosity, 200
Porous bioactive glass, 167
Porous coating, 274, 516
Press fit, 274
Prevention, 564
Protein adsorption, 181
Protein release, 516
Protein-binding, 387
Putty, 393

Radiofrequency magnetron sputter-coated implants, 75
Rat mesentery, 1
Rat tibia, 131
Release kinetics, 295
Release reaction, 289
Revision total hip arthroplasty, 529

Scanning electron microscopy (SEM), 91
Serum-free medium, 347
Silica ring expansion, 209
Silica-carbon monoxide system, 209
Silicone elastomer, 487
Silver-coated orthopedic external fixation pins, 325
Sodium alginate, 393
Solubility product, 522
Staphylococcus aureus, 152
Stents, 498
Stoichiometric hydroxyapatite, 233
Stromal osteoblasts, 17
Surface free energy, 99, 216
Surface modification, 216
Surface treatment, 9
Swelling controlled-release systems, 125
Synthetic cornea, 29

Tensile strength and contact angle hysteresis, 487
Tensile test, 454
Three-dimensional (3-D), 17
Ti-6A1-4V implants, 39
TiO_2, 387
Titanium, 9, 131, 265, 516
TNFα, 542
Transforming growth factor-β_1, 295
Triethylene glycol monoallyl ether, 181

Ultrastructure, 418

V79 cells, 284
Vancomycin, 564
Vascular graft, 200

Wear debris, 529
White blood cells, 400

X-ray diffraction, 85, 242
X-ray microanalysis, 85